

## POUR-ON DOSAGE GUIDE


\*Approximate number of head treated is based upon recommended rate of administration per label dosage of 1 mL for each 22 lbs of bodyweight.

#### Learn more at ElancoLivestock.com.

#### Keep out of reach of children.

**IMPORTANT SAFETY INFORMATION:** When used according to label directions, neither a pre-slaughter withdrawal period nor a milk discard time is required. Do not use in calves to be processed for veal. For external use only. Do not apply to areas of skin with mange scabs, skin lesions, mud or manure. Cydectin Pour-On is not recommended for use in species other than cattle.

## **CYDECTIN**<sup>®</sup> Injectable



## **INJECTABLE DOSAGE GUIDE**

\*Approximate number of head treated is based upon recommended rate of administration per label dosage of 1 mL for each 110 lbs of bodyweight.

#### Learn more at ElancoLivestock.com.

#### Keep out of reach of children.

**SAFETY AND RESIDUE INFORMATION:** Do not use in lactating dairy cattle, veal calves or calves less than 8 weeks of age. Do not administer within 21 days of slaughter.

Cydectin, Elanco, and the diagonal bar logo are trademarks of Elanco or its affiliates. ©2020 Elanco. PM-US-20-2615



# CYDECTIN<sup>®</sup>

110

1.0 ml
1.0 mL
2.0 mL
3.0 mL
4.0 mL
5.0 mL
6.0 mL
7.0 mL
8.0 mL
9.0 mL
10.0 mL
11.0 mL
12.0 mL
13.0 mL
14.0 mL
15.0 mL
16.0 mL
17.0 mL
18.0 mL
19.0 mL
20.0 mL

220
330
440
550
660
770
880
990
1,100
1,210
1.320
1,320 1,430
1,700
1,540
1,650
1,760
1,870
1,980
2,090
2,200

500
250
166
125
100
83
71
62
55
50
45
41
38
35
33
31
29
27
26
25
20

Cydectin® (moxidectin) Pour-On



# CYDECTIN® Pour-On

		5mL 10mL 15mL 20mL 25mL 30mL 35mL 40mL 45mL			110 220 330 440 550 660 770 880 990 1,100	
100	200	55mL	500	1,000	1,210	2,000
50	100	60 mL	250	500	1,320	1,000
33	66	65mL	166	333	1,430	666
25	50	70 mL	125	250	1,540	500
20	40	75mL	100	200	1,650	400
16	33	80 mL	83	166	1,760	333
14	28	85 mL	71	142	1,870	285
12	25	90 mL	62	125	1,980	250
11	22	95 mL	55	111	2,090	222
10	20	100 mL	50	100	2,200	200
9	18		45	90		181
8	16		41	83		166
7	15		38	76		153
7	14		35	71		142
6	13		33	66		133
6	12		31	62		125
5	11		29	58		117
5	11		27	55		111
5	10		26	52		105
5	10		25	50		100

This insert is to be used with dosing guide sleeve.

Cydectin, Elanco, and the diagonal bar logo are trademarks of Elanco or its affiliates.

©2020 Elanco PM-US-20-2615